

### Wadaan Profile

Wadaan Industries LLC is a reliable Ink & Coating manufacturer in United Arab Emirates. Since establishment in 2012, Wadaan is now the leading supplier of superlative quality UV Silkscreen, UV Dry Offset, Solvents based SCREEN & PAD inks in Middle East. Wadaan has earned a well renowned name in a short period of time by providing standard consistent quality products with provision of on the spot solutions for daily print challenges.

Wadaan inks are produced under the supervision of experienced technical team. Backed up by well-equipped in-house laboratory, Pantone colour matching system and dedicated staff. Wadaan has been constantly producing custom made inks for Industrial Printing applications by keeping the industrial & customer's requirements at top priority. The customer centric approach of Wadaan Industries with modern R&D setup has enabled us to set new bench marks in the industry. Achieving client satisfaction is the prime accomplishment of the company.

Wadaan has strived to enrich people's daily lives through development of colours and committed itself to ensure safe operations with its reliable products and services, protecting health and safety, preserving the environment, conserving energy, natural resources and strictly complying with environment regulations. Wadaan has set a target to reduce the chemical emissions & volume of waste generated during manufacturing process.

We Wadaan Industries, invested in technical innovation by putting infrastructure in place which ensures absolute top priority with all possible measures and setting new standards to preserve the environment by producing user friendly, low extractable and lead free inks.

Wadaan Team



### Wadaan Solvent-based Screen Inks

# STATES THE STATES OF THE STATE

### **Description**

Vast range of premium quality single & two component solvent based screen printing inks for PE, HDPE, paper & board, PVC sheets, glass, coated & un-coated metal etc

### **Application**

Wadaan SB: Pre-treated printing on blow & injection moulded

PP, PE, HDPE, PET, ABS, Polycarbonate

containers and coated metal

Wadaan GL: Two component (solvent resistant ink) for glass,

metal & ceramic

Wadaan PVC: Paper & board, PVC labels & sheets Wadaan PP: Untreated polypropylene jars & buckets

### **Properties**

- Excellent Adhesion to treated, PE, PPCP substrates & coated metal drums
- Fast drying
- Good ink-to-ink adhesion
- Colour matched to Pantone
- Extra opaque white
- High gloss colours
- Good scuff and scratch resistance
- Tape resistant (treatment level should be at least 40 dynes)
- Resistant to various fillings like oil, grease lubricates, etc.
- Low odour
- Heavy- metal free pigments

### **Auxiliaries**

- Viscosity reducer max. 5% addition
- Wadaan reducers (normal dry)
- Wadaan retarder (slow dry)
- Wadaan cleaning solvents (for cleaning purpose of screens & equipment)









### **Properties**

- Excellent Adhesion
- Fast drying speeds
- Color matched to Pantone
- Extra opaque white
- High gloss colors
- Good scuff and scratch resistance
- Low odour



### **Color Availability**

- Opaque White, Process colors (CMYK),
- Pantone Mixing Colors & Pantone Matched Colors

### **Packing**

Clear Lacquer 1 kg printed cans Hardener 500 gm printed cans Lacquer Thinner 4 to 5 Ltr printed cans

### **WADAAN INDUSTRIES L.L.C.**

P.O.Box: 86496, Ras Al Khaimah - U.A.E, T: +971 7 243 8260, E-mail: info@wadaan.ae **Regional Office: Wadaan Inks & Coatings (Pvt.) Ltd.:** Lahore - Pakistan, M: +92 316 45 55033 / 0316 45 55299



### **UV-Curable Overprint Varnishes**



### **Product Description**

 A range of UV-curable overprint varnishs applied in-line on an offset or flexo press, off-line on an independent coater or via silk screen

### **Performance**

- Various effects from high gloss to ultra matt
- Various properties from high release to foil block-able
- Safe for use on the outside of food packaging
- ⟨ Low migratory photo initiators (ITX & Benzo-free)
- Fast curing speeds
- Non-yellowing on aging
- Low odor, environmentally safe

### Coat

- Magazine covers
- Food, cosmetic and pharmaceutical packaging
- Self-adhesive labels.



Cough

Syrup

Wadaan Industries L.L.C.

P.O.Box: 86496, Ras Al Khaimah - U.A.E, T: +971 7 243 8260, E-mail: info@wadaan.ae

Regional Office: Wadaan Inks & Coatings (Pvt.) Ltd.: Lahore - Pakistan, M: +92 316 45 55033 / 0316 45 55299

WWW.Wadaan.ae



### Wadaan Ultra-Violet Dry Offset Ink



### Description

UV-Curable dry offset printing inks

### **Application**

For Printing PS, PP, PET, PC Packaging Cups, Closures, Buckets & Tubes

### **End Use**

PS, PP, PET, PC Packaging diary cups, pails, closures, styro foam & paint buckets.

### **Properties**

- · Excellent adhesion to treated, PS , PP, PC substrates
- Fast curing
- Solvent resistant
- Colour matched to Pantone
- Vibrant colour
- · Good scuff, mar and scratch resistant
- Tape resistant (treatment level should be at least 40 dynes)
- Low odour
- Low extractable, ITX & Heavy- metal free pigments
- · Excellent transfer

### **Auxiliarie**

- · Mixing white for colors matching
- Tack reducer
- Curing additives for dark colors
- Wadaan cleaning solvents (for cleaning purpose of equipments)

### **Packing**

1 - 5 Kg Plastic Can







### Wadaan Industries L.L.C.

P.O.Box: 86496, Ras Al Khaimah - U.A.E, T: +971 7 243 8260, E-mail: info@wadaan.ae

Regional Office: Wadaan Inks & Coatings (Pvt.) Ltd.: Lahore - Pakistan, M: +92 316 45 55033 / 0316 45 55299

### Wanaan UV

UV-Curable Offset Printing Ink



### **Product Description**

 High Performance UV-curable offset ink formulated for printing on paper, board, metalized board and selected plastics.

### **Performance**

- Excellent adhesion
- Overprints well with Wadaan UV Varnishes
- Safe for use on the outside of food packaging
- Low migratory photointiators (ITX-free)
- Good ink flow and transfer properties
- Fast curing speeds
- Low odor, environmentally safe

### Print

- Food, cosmetic and pharmaceutical packaging
- Magazines, brochures and POP materials
- Calendars, annual reports and boxes





Wadaan Industries L.L.C.

P.O.Box: 86496, Ras Al Khaimah - U.A.E, T: +971 7 243 8260, E-mail: info@wadaan.ae

Regional Office: Wadaan Inks & Coatings (Pvt.) Ltd.: Lahore - Pakistan, M: +92 316 45 55033 / 0316 45 55299

WWW.Wadaan.ae

## Printing Inks & Coatings

### **UV Screen Printing Inks**

### **Description**

**UV-Curable Screen Printing Inks** 



For Printing blow & injection moulded containers

### **End Use**

HDPE, PP, PET, polycarbonate containers for packing lubricants, dishwashing detergent bottles, pails packaging for grease and vegetable oil

# CREDIBLE NOIR Louis Cardin

### **Properties**

- Excellent adhesion to treated, HDPE, PP, PC substrates
- Fast curing
- Solvent resistant
- Colour matched to Pantone
- Extra opaque white
- High gloss colours
- Good scuff and scratch resistance
- Tape resistant (treatment level should be at least 40 dynes)
- Resistant to various fillings like oil, grease lubricates, etc.
- Low odour
- ITX & heavy- metal free pigments

### **Auxiliaries**

- UV Reducer Max. 5 10% addition
- Clear Varnish for extra protection & high gloss
- Curing additives for dark colors
- Wadaan cleaning solvents (for cleaning purpose of screens & equipment)



PETRO

**PETRO MIN** 

COMPRESSOR OIL

### Wadaan Industries L.L.C.

P.O.Box: 86496, Ras Al Khaimah - U.A.E, T: +971 7 243 8260, E-mail: info@wadaan.ae Regional Office: Wadaan Inks & Coatings (Pvt.) Ltd.: Lahore - Pakistan, M: +92 316 45 55033 / 0316 45 55299



### Wadaan WP Ink Series

### Wadaan Solvent-based Screen Inks

### **Description**

Vast range of premium quality single & two component solvent based screen printing inks for untreated PP Substrates like buckets, cans, closures, battery cases & syringes

# CIGUIL enoc VERRON UNRUM GREASE Fails My family lithium grease, recommended for automotive immediate requirent and industrial applications. 15 Kg

### **Application**

Wadaan PP: Untreated polypropylene jars & buckets

### **Properties**

- Excellent Adhesion to untreated PP Substrates
- Fast drying
- Good ink-to-ink adhesion
- Colour matched to Pantone
- Extra opaque white
- High gloss colours
- Good scuff and scratch resistance
- Tape resistant
- Low odour
- Heavy- metal free pigments
- Light fast

### **Auxiliaries**

- Viscosity reducer max. 10 20% addition
- Wadaan reducer (normal dry)
- Wadaan retarder (slow dry)
- Wadaan cleaning solvents (for cleaning purpose of screens & equipment)





### Wadaan Industries L.L.C.

P.O.Box: 86496, Ras Al Khaimah - U.A.E, T: +971 7 243 8260, E-mail: info@wadaan.ae **Regional Office: Wadaan Inks & Coatings (Pvt.) Ltd.:** Lahore - Pakistan, M: +92 316 45 55033 / 0316 45 55299



### **Pigment Paste Color for Fiberglass**

### **Description**

UV Stabilized Polyester Pigment Paste for Fiberglass

### **Application**

Highly concentrated, UV- Added pigment paste for coloring gelcoats and resins

### **End Use**

Coloring Fiberglass, composites, water tanks, artificial tiles, fire boxes, play rides etc

### **Properties**

- 100% monomer-free
- Highest pigment concentration
- Excellent flow properties
- UV Protected vibrant, glossy colours
- Extra opaque white
- Excellent light fastness
- Good scuff and scratch resistance
- Low odour
- Heavy- metal free pigments
- Follow RAL & PANTONE colour

### Storage & Handling

Keep away from direct sunlight.

Store at temperatures between 150 and 250 C. Under these conditions, a shelf-life of 12 months from the date of manufacture is guaranteed.

### **Packing**

1 kg (NET) plastic can 5 kg (NET) plastic bucket 20-25 (NET) plastic pails 200 kg (NET) drums



### Wadaan Industries L.L.C.

P.O.Box: 86496, Ras Al Khaimah - U.A.E, T: +971 7 243 8260, E-mail: info@wadaan.ae

Regional Office: Wadaan Inks & Coatings (Pvt.) Ltd.: Lahore - Pakistan, M: +92 316 45 55033 / 0316 45 55299



### Wadaan Solvent-based Rotary Pad Inks

### **Description**

Vast range of premium quality single & two component solvent based Rotary Pad printing inks for PE, HDPE & PP.



### **Application**

Wadaan SB: Pre-treated printing on blow & injection moulded

PP, PE, HDPE, PET, ABS, Polycarbonate

containers and coated metal

### **Properties**

- Excellent Adhesion to treated, PE, HDPE & PP substrates
- Fast drying
- Good ink-to-ink adhesion
- Colour matched to Pantone
- Extra opaque white
- High gloss colours
- Good scuff and scratch resistance
- Tape resistant (treatment level should be at least 40 dynes)
- Resistant to low & high temperatures
- Low odour
- Heavy- metal free pigments
- Light fast

### **Auxiliaries**

- Viscosity reducer max. 20 to 30% addition
- Wadaan reducers (normal dry)
- Wadaan retarder (slow dry)
- Wadaan cleaning solvents (for cleaning purpose of screens & equipment)





### Wadaan Industries L.L.C.

P.O.Box: 86496, Ras Al Khaimah - U.A.E, T: +971 7 243 8260, E-mail: info@wadaan.ae

Regional Office: Wadaan Inks & Coatings (Pvt.) Ltd.: Lahore - Pakistan, M: +92 316 45 55033 / 0316 45 55299

WWW.Wadaan.ae



### **Pigment Paste Color for Fiberglass**

### Description

Polyester Pigment Paste for Fiberglass

### **Application**

Highly concentrated pigment paste for coloring gelcoats and resins

### End Use

Coloring Fiberglass, water tanks fire boxes, play rides etc

### **Properties**

- 100% monomer-free
- Highest pigment concentration
- Excellent flow properties
- Vibrant, glossy colours
- Extra opaque white
- Excellent light fastness
- Good scuff and scratch resistance
- Low odour
- Heavy- metal free pigments
- Follow RAL & PANTONE colour

### Storage & Handling

Keep away from direct sunlight.

Store at temperatures between 15O and 25O C.

Under these conditions, a shelf-life of 12 months from the date of manufacture is guaranteed.

### Packing

5 kg (NET) plastic bucket 20-25 (NET) plastic pails 200 kg (NET) drums



Wadaan Industries L.L.C.

P.O.Box: 86496, Ras Al Khaimah-U.A.E, T: +971 7 243 8260, F: +971 7 243 8268 E: wadaanone@gmail.com

# Printing Inks & Coatings

### Wadaan Solvent-based Screen Inks



### Description

Vast range of premium quality single & two component solvent based screen printing inks for PE, HDPE, paper & board, PVC sheets, glass, coated & un-coated metal etc

### **Application**

Wadaan SB: Pre-treated printing on blow & injection moulded

PP, PE, HDPE, PET, ABS, Polycarbonate

containers and coated metal

Wadaan GL: Two component (solvent resistant ink) for glass,

metal & ceramic

Wadaan PVC: Paper & board, PVC labels & sheets Wadaan PP: Untreated polypropylene jars & buckets

### **Properties**

- Excellent Adhesion to treated, PE, PPCP substrates & coated metal drums
- Fast drying
- Good ink-to-ink adhesion
- Colour matched to Pantone
- Extra opaque white
- High gloss colours
- Good scuff and scratch resistance
- Tape resistant (treatment level should be at least 40 dynes)
- Resistant to various fillings like oil, grease lubricates, etc.
- Low odour
- Heavy- metal free pigments

### **Auxiliaries**

- Viscosity reducer max. 5% addition
- Wadaan reducers (normal dry)
- Wadaan retarder (slow dry)
- Wadaan cleaning solvents (for cleaning purpose of screens & equipment)







Wadaan Ultra-Violet Dry Offset Ink

### Description

UV-Curable dry offset printing inks

### **Application**

For printing PS, PP cups & containers

### **End Use**

PS, PP, packaging diary cups / buckets & paint buckets

### **Properties**

- Excellent adhesion to treated, PS , PP, PC substrates
- Fast curing
- Solvent resistant
- Colour matched to Pantone
- Vibrant colour
- · Good scuff, mar and scratch resistant
- Tape resistant (treatment level should be at least 40 dynes)
- Low odour
- Low extractable, ITX & Heavy- metal free pigments

### **Auxiliarie**

- Mixing white for colors matching
- Tack reducer
- Curing additives for dark colors
- Wadaan cleaning solvents (for cleaning purpose of equipments)

Wadaan Industries L.L.C.

P.O.Box: 86496, Ras Al Khaimah-U.A.E, T: +971 6 7667 435,F: +971 6 7667 405, E: wadaanone@gmail.com



### UV-Curable Flexo Printing Ink

### **Product Description**

Wadaan UV Flexo Series (WF) are UV Curable (Free Radical) Flexo printing inks for printing on self-adhesive labels. Wadaan UV Flexo Inks have been formulated to have excellent flow properties, optimized rheology, good colour strength, good reactivity, high gloss, good adhesion and minimal foaming in the ink tray/chamber.

### **Substrates**

- Corona pre-treated PE, BOPP, OPP
- Top coated PP and PE
- Pre Coated PET
- PVC
- NC Lacquered Aluminium Foil
- Coated and Uncoated Paper

### **Properties**

- Excellent Adhesion
- Fast curing speeds
- Color matched to Pantone
- Extra opaque white
- High gloss colors
- Good scuff and scratch resistance
- Low odour
- ITX and heavy- metal free

### **Color Availability**

- Opaque White, Process colors (CMYK),
- Pantone Mixing Colors & Pantone Matched Colors

### **Auxiliaries**

- UV Reducer Max. 5% addition (to reduce viscosity)
- UV P.I Additive Max. 5% addition (to speed up cure)
- UV Slip Additive Max. 2% (to increase slip)

### **Packing**

5 kg (NET) plastic cans





### WADAAN INDUSTRIES L.L.C.

P.O.Box: 86496, Ras Al Khaimah - U.A.E, T: +971 7 243 8260, E-mail: info@wadaan.ae **Regional Office: Wadaan Inks & Coatings (Pvt.) Ltd.:** Lahore - Pakistan, M: +92 316 45 55033 / 0316 45 55299

## WADAAN UV

UV-Curable Offset Printing Ink



### **Product Description**

 High Performance UV-curable offset ink formulated for printing on paper, board, metalized board and selected plastics.

### **Performance**

- Excellent adhesion
- Overprints well with Wadaan UV Varnishes
- Safe for use on the outside of food packaging
- < Low migratory photointiators (ITX-free)
- Good ink flow and transfer properties
- Fast curing speeds
- Low odor, environmentally safe

### **Print**

- Food, cosmetic and pharmaceutical packaging
- Magazines, brochures and POP materials
- Calendars, annual reports and boxes





### Wadaan Industries L.L.C.



### **UV-Curable Overprint Varnishes**



### **Product Description**

A range of UV-curable overprint varnishs applied in-line on an offset or flexo press, off-line on an independent coater or via silk screen

### **Performance**

- Various effects from high gloss to ultra matt
- Various properties from high release to foil block-able
- Safe for use on the outside of food packaging
- ⟨ Low migratory photo initiators (ITX & Benzo-free)
- Fast curing speeds
- Non-yellowing on aging
- Low odor, environmentally safe
- ← All Wadaan UV Coatings are formulated SOLVENT-FREE

### Coat

- Magazine covers
- Food, cosmetic and pharmaceutical packaging
- Self-adhesive labels.





### Wadaan Industries L.L.C.



### **UV Screen Printing Inks**

### Description

**UV-Curable Screen Printing Inks** 

### **Application**

For Printing blow & injection moulded containers



### **End Use**

HDPE, PP, PET, polycarbonate containers for packing lubricants, dishwashing detergent bottles, pails packaging for grease and vegetable oil

### **Properties**

- Excellent adhesion to treated, HDPE, PP, PC substrates
- Fast curing
- Solvent resistant
- Colour matched to Pantone
- Extra opaque white
- High gloss colours
- Good scuff and scratch resistance
- Tape resistant (treatment level should be at least 40 dynes)
- Resistant to various fillings like oil, grease lubricates, etc.
- Low odour
- ITX & heavy- metal free pigments

### **Auxiliaries**

- UV Reducer Max. 5 10% addition
- Clear Varnish for extra protection & high gloss
- Curing additives for dark colors
- Wadaan cleaning solvents (for cleaning purpose of screens & equipment)



